Space Weather Technical Forecast

Issued on Wednesday 12 March 2025 at 01:17 Local

This technical forecast provides a four-day assessment of space weather events. The probabilities stated below are for reaching or exceeding the given levels. For more information about space weather impacts please see the Met Office Space Weather Scales https://www.metoffice.gov.uk/weather/learn-about/space-weather/uk-scales

---

Space Weather Forecast Headline: Chance of isolated M-class flares. G1 likely days 2 & 3, chance G2. Active fluence expected days 1 & 2.

Analysis of Space Weather Activity over past 24 hours

Solar Activity: Solar activity has been Moderate, with an isolated M1.1 flare observed at 11/1304 UTC from AR2024 in the northwest. There are ten regions on the Earth-facing disc. The main region of interest continues to be AR4019 in the northeast, which has seen continued development in the trailer and intermediate regions, with a weak delta spot in the compact central portion. AR4012 in the southwest has continued a consolidating trend, now a unipolar region. AR4024, is now small and continues to weaken, however it was responsible for most of the flare activity in the past 24 hours. Most other spots have shown little change and are generally stable at present.

No Earth-directed CMEs have been observed.

Solar Wind / Geomagnetic Activity: Solar winds, as measured by ACE at L1, showed a declining connection to the fast wind of CH21/-. Wind speeds were initially strong near 530km/s, declining to slow-ambient levels near 390km/s by the end of the period. Density was below average. Interplanetary Magnetic Field, Bt, started weak 5nT or below and gradually rose to moderate 9nT. The north-south component, Bz, was weakly variable initially, with one sustained moderately negative period 11/2130-2400UTC. Phi angle was negative (towards the Sun). Geomagnetic activity was Quiet to Unsettled (Kp 1-3).

Energetic Particles / Solar Radiation: High energy proton flux (greater than 10MeV) at GOES18 was near background levels. High energy electron flux (greater than 2 MeV) reached high levels at the diurnal max, recording a max of 4110 pfu at 10/1535 UTC. The 24-hour fluence was above the Active threshold (1e8 integrated pfu) from 11/1200 UTC, on a rising trend, with 1.58e8 integrated pfu observed at 12/0000 UTC.

Four-Day Space Weather Forecast Summary

Solar Activity: Low activity is most likely, with a chance of isolated M-class flares.

Solar Wind / Geomagnetic Activity: No CMEs feature in the forecast. Ongoing fast winds from CH21/- continue on a slow decline. The next coronal hole fast wind enhancement, from CH22/-, is

---

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

most likely to occur during day 2 (13 Mar), perhaps reaching 600+ km/s again. This fast wind should then ease later day 3 into day 4.

Geomagnetic activity is expected to be Quiet to Unsettled through day 1 (12 Mar) , with a chance of Active intervals. On days 2 and 3 (13-14 Mar) a spell of Active to G1/Minor Storms are considered likely, with a chance of isolated G2/Moderate storm intervals. Geomagnetic activity should then reduce through day 4 (15 Mar) perhaps falling back to Quiet to Unsettled by the end of the day.

Energetic Particles / Solar Radiation: High energy proton flux is most likely to remain close to background levels. High energy electron flux is expected to reach high levels at the diurnal peaks on at least day 1 (12 Mar), perhaps dropping from day 2 or 3 (13-14 Mar). The associated 24 hour fluence is expected to stay above Active days 1-2, potentially declining days 3-4.

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

Figure 1: Solar synoptic map valid 11/1915UTC.



Key: Filament ___ , Prominence ___ , Magnetic Field Line - - - , Polarity +/-, Coronal Holes: Grey shaded area CHxx +/-, Sunspot groups 25xx - Mt Wilson α-β-βγ-βγδ and Zurich-McIntosh Axx etc.

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

Geomagnetic Storms

No CMEs feature in the forecast.

Ongoing fast winds from CH21/- continue on a slow decline, soon to reach background levels. The next coronal hole fast wind enhancement, from CH22/-, is most likely to occur during day 2 (13 Mar). MOSWOC Enlil is suggesting this may occur on day 1 (12 Mar), but Enlil is considered too fast with this enhancement. Whilst both coronal holes were present on the previous rotation, a narrow link between them now appears to have closed., meaning persistence from the previous rotation is compromised, with wind speeds likely to fall lower than previously in the gap between the CHs. That said, the leading edge of CH22 appears to be in a similar location to the main part of the CH on the previous rotation, and a similar onset of elevated to strong wind speeds is likely, perhaps reaching 600+ km/s again. Additionally, this is a negative polarity coronal hole, which is favoured for connection to Earth at this time of year. This fast wind should then ease later day 3 into day 4, with the following coronal hole (CH23/-) due beyond the end of this period.

Geomagnetic activity is expected to be Quiet to Unsettled through day 1 (12 Mar) , with a chance of Active intervals. On days 2 and 3 (13-14 Mar) a spell of Active to G1/Minor Storms are considered likely, with a chance of isolated G2/Moderate storm intervals. Geomagnetic activity should then reduce through day 4 (15 Mar) perhaps falling back to Quiet to Unsettled by the end of the day.

Geomagnetic Storm	Level	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC)	Day 2 (00-24 UTC)	Day 3 (00-24 UTC)	Day 4 (00-24 UTC)
Probability (Exceedance)			(%)	(%)	(%)	(%)
Minor or Moderate	G1 to G2	No	20	70	60	20
Strong	G3	No	1	5	5	1
Severe	G4	No	1	1	1	1
Extreme	G5	No	1	1	1	1

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

Figure 2: MOSWOC Enlil, showing bulk of CME passing south of Earths orbit, with only a slight glance possible. Note the connection to CH21/- is likely a touch early.



Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

Radio Blackouts - X-Ray Flares

Solar activity has been Moderate, with an isolated M1.1 flare observed at 11/1304 UTC from AR2024 in the northwest.

There are ten regions on the Earth-facing disc. The main region of interest continues to be AR4019 in the northeast, which has seen continued development in the trailer and intermediate regions, with a weak delta spot in the compact central portion. AR4012 in the southwest has continued a consolidating trend, now a unipolar region. AR4024, is now small and continues to weaken, however it was responsible for most of the flare activity in the past 24 hours. Most other spots have shown little change and are generally stable at present.

There are several ex-sunspot regions which may return over the east limb during this period, with some looping showing in SDO imagery to support this. However, the potential activity levels of any new regions cannot be assessed until they appear on the visible disc. Low activity is most likely, but with a slightly increasing chance of isolated M-class flares.

X-Ray Flares Probability	Level	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Active	**R1-R2 (M Class)**	Yes	40	40	50	50
Very Active	**R3-R5 (X Class)**	No	5	5	5	5

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

Figure 3: 24 hour X-Ray trace.



© Crown Copyright 2025. All Rights Reserved.

Solar Radiation Storms (High Energy Protons)

GOES18 high energy (>10MeV) proton flux is currently a little above background, likely as a response to the M1.1 flare on 11 Mar. Background or close-to-background levels are expected to persist, with the current regions brining a low risk of producing proton enhancements. That said, the majority of the sunspot regions are in the east of the visible disc and there is a very slightly increasing risk as these regions rotate westward into a better connected position with respect to Earth later in the period.

Radiation Storms Probability (Exceedance)	Level ($cm^{-2}sr^{-1}s^{-1}$)	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Active	**≥ S1**	No	10	10	15	15
Very Active	**≥ S3 ***	No	1	1	1	1
* S3 ≥ 10 MeV ≥ 1000 pfu and/or 50 MeV ≥ 10pfu. (pfu = $cm^{-2}sr^{-1}s^{-1}$)						

Figure 4: 24 hour proton flux.



Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

High Energy Electrons (≥ 2MeV)

The high-energy electron flux (>2MeV) observed at GOES16 has been reaching diurnally high levels, as solar winds continue to ease after the previous enhancement. Electron flux is expected to be high again days 1-2 (12-13 Mar). A reduction is then likely into days 3 and 4 (14/15 Mar) once the next coronal hole and geomagnetic activity affects GEO, likely supressing the Van Allen belts.

The 24 hour integrated fluence is currently above the Active (1e8 integrated pfu) threshold, and is expected to remain so through day 1 and into early day 2 (12 and 13 Mar). A declining trend is most probable later day 2 (13 Mar) and for the remainder of the period (14-15 March) due to coronal hole high speed stream influence. MOSWOC REFM is considered to be giving a reasonable guidance.

GEO Electron Environment	Level ($cm^{-2}sr^{-1}$ day^{-1})	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC)	Day 2 (00-24 UTC)	Day 3 (00-24 UTC)	Day 4 (00-24 UTC)
Probability (Exceedance)			(%)	(%)	(%)	(%)
Active	≥ 2 MeV ≥ 1×10^{8}	Yes	100	80	30	20
Very Active	≥ 2 MeV ≥ 1×10^{9}	No	10	10	1	1

Figure 5:



Issued by Met Office Space Weather Advisor, Tel: +44 (0) 370 900 0100 Email: enquiries@metoffice.gov.uk

© Crown Copyright 2025. All Rights Reserved.

Figure 6: MOSWOC REFM showing fluence forecast/observations/recurrence.



© Crown Copyright 2025. All Rights Reserved.